

LM22-B200 Monitor

Dahua DHI-LM22-B200 FHD Monitor 22-inch

- Light and cost-effective plastic housing;
- Ultra-narrow bezel, elegant appearance, metal base;
- 178°H/178°V extra-wide viewing angle for overall viewing performance;
- High fidelity digital processing for a brilliant and vivid video;
- Support multiple signal inputs including HDMI and VGA;
- Low energy consumption, long service life;
- Anti-blue light design, eye-protective.

Ölçü	22"
Görüntü imkanı	FHD
Tezlik	75 Hz



Ətraflı

Model	LM22-B200
Display	
Screen Size	21.45"
Aspect Ratio	16:9
Permission	1920 × 1080 (FHD)
Backlighting	LED

Brightness / Lighting	250 cd / ㎡
Contrast ratio	3000:1
Display color	16.7 Mb (8 bits)
Viewing Angle (G / H)	178° / 178°
Response time (typ.)	5 msec
Refresh Rate	Max. 75 Hz, Typ. 60 Hz
Signals	
Entrance	VGA × 1, HDMI × 1
Exit	Audio output. x1
Accessories	
Standard	HDMI cable, power cable, base
Additionally	Table bracket with gas spring
Certificates	
Certificates	CE / FCC
Environment	
Operating temperature	0°C ~ 40°C (32°F ~ 104°F)
Operating humidity	10 % ~ 85 %
Electrical properties	
Power supply	DC 12V
Power consumption (Standard)	24 W
Power Consumption (Pending)	≤0.5 W
General information	
Colour	Black
Front panel width	3.1 mm (P / L) 12.5 mm (B)

Wall mount	75 × 75 mm (3.0 "× 3.0")	
Dimensions without standard	492.3 x 280.9 x 41.8 mm (19.4“ x 11.1 "x 1.6")	
Net Weight	2.5 kg (5.5 lb)	
Gross Weight	3.5 kg (7.7 lb)	