

Mikro SD TF-C100/128GB

TF-C100/128GB C100 microSD Memory Card

Adopts mainstream flash memory cell; superior performance and long service life

Four types of protection: High and low temperature resistant, water proof, anti-magnetic, and anti X-ray; adapts to various environments

Meets various user needs such as recording videos, taking photos, listening to music, playing games, and storing data

Compatible with various digital products

| | |
|-------------|--------|
| Memory size | 128 GB |
|-------------|--------|



Detailed

| Technical Specification | |
|-------------------------|-------------------|
| Product Model | DHI-TF-C100/128GB |
| Capacity | 128 GB |
| Read Speed | Up to 95 MB/s |
| Write Speed | Up to 65 MB/s |
| Speed Rating | C10/U3/V30 |
| UHS | UHS-I |
| TBW | 66TB |
| File System | FAT32 |

| | |
|--------------------------|--|
| Operating Temperature | 0 °C to +70 °C (+32 °F to +158 °F) |
| Storage Temperature | -25°C to +85°C (-13°F to +185°F) |
| Operating Humidity | 5%-95% (non-condensing) |
| Four Types of Protection | High and low temperature resistant, waterproof, anti-magnetic, and anti X-ray |
| Compatibility | Game consoles, mobile phones, tablets, digital stereo systems, computers, and more. |
| Warranty | 7-year limited warranty. The limited warranty requires that the product use does not exceed the maximum write amount of TBW. For detailed specifications and warranty policies, please refer to the official website. |
| Product Dimensions | 15.0 mm × 11.0 mm × 1.0 mm (0.59" × 0.43" × 0.04") |
| Packaging Dimensions | 120 mm × 80 mm × 5.8 mm (4.72" × 3.15" × 0.23") |
| Net Weight | 0.16 g |
| Gross Weight | 8.5 g |
| Reference Information | <p>1. The capacity written on the product and package is nominal capacity.</p> <p>2. 1 GB = 1 billion bytes, and the nominal capacity is not all for data storage. According to internal testing, the transmission speed varies with the devices, ports, environments, and other factors.</p> <p>3. Warranty period or maximum write amount (TBW), whichever comes first.</p> <p>*Above data based on internal testing of Zhejiang Huayixin Technology Co., Ltd Laboratory</p> |