

CS-H6-R100-1J5WF

EZVIZ CS-H6-R100-1J5WF (4mm) 3K 5MP Color Night Vision IR 10m Wi-Fi Camera 2 way audio MicroSD up to 512GB Indoor SMART Mini PT Camera

|                       |               |
|-----------------------|---------------|
| Megapixel             | 5 MP          |
| Night vision distance | 10 M          |
| Sound                 | Two-way audio |
| Micro SD              | 512 GB        |



Detailed

|                      |                                                                        |  |
|----------------------|------------------------------------------------------------------------|--|
| Specifications       |                                                                        |  |
| Model                | CS-H6-R100-1J5WF                                                       |  |
| Camera               |                                                                        |  |
| Image Sensor         | 1/2.7" Progressive Scan CMOS                                           |  |
| Shutter Speed        | Self-adaptive shutter                                                  |  |
| Lens                 | 4mm@ F1.6, view angle:87° (Horizontal), 53° (Vertical), 104°(Diagonal) |  |
| PT Angle             | Pan: 353° , Tilt: 133°                                                 |  |
| Minimum Illumination | 0.51Lux @(F1.6, AGC ON), 0 Lux with IR                                 |  |
| Lens Mount           | M12                                                                    |  |
| Day & Night          | IR-cut filter with auto-switching                                      |  |
| DNR                  | 3D DNR                                                                 |  |
| WDR                  | Digital WDR                                                            |  |
|                      |                                                                        |  |

|                       |                                                                                                     |
|-----------------------|-----------------------------------------------------------------------------------------------------|
| BLC                   | Supports                                                                                            |
| Night Vision          | 10 m                                                                                                |
| Video & Audio         |                                                                                                     |
| Max. Resolution       | 2880 × 1620                                                                                         |
| Frame Rate            | Max:25fps; Self-Adaptive during network transmission                                                |
| Video Compression     | H.265 / H.264                                                                                       |
| Video Bit Rate        | Ultra-HD; HD; Standard. Adaptive bit rate.                                                          |
| Audio Bit Rate        | Self-Adaptive                                                                                       |
| Max. Bitrate          | 4 Mbps                                                                                              |
| Network               |                                                                                                     |
| Wi-Fi Standard        | IEEE802.11a, 802.11b, 802.11g, 802.11n, 802.11ac                                                    |
| Frequency Range       | 2.4G: 2400~2483.5 MHz 5G: 5170~5250 MHz□5735~5835 MHz                                               |
| Channel Bandwidth     | Supports 40 MHz                                                                                     |
| Security              | 64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK                                                    |
| Transmission Rate     | 11b 11Mbps, 11g 54Mbps, 11nHT20 MCS7, 11nHT40 MCS7; 11a 54Mbps, 11nHT20 MCS7, 11nHT40 MCS7          |
| Wi-Fi Pairing         | AP pairing                                                                                          |
| Protocol              | EZVIZ Cloud Proprietary Protocol                                                                    |
| Interface Protocol    | EZVIZ Cloud Proprietary Protocol                                                                    |
| Wired Network         | RJ45 × 1 (10M / 100M Adaptive Ethernet Port)                                                        |
| Storage               |                                                                                                     |
| Local Storage         | Micro SD card slot (Max. 512G)                                                                      |
| Cloud Storage         | EZVIZ Cloud Storage                                                                                 |
| Function              |                                                                                                     |
| Smart Alarm           | AI-Powered Human Shape Detection / Pet Detection / Waving-Hand Detection / Voice Activity Detection |
| Customized Alert Area | Supports                                                                                            |
| Two-Way Talk          | Supports ( Double Mic )                                                                             |
| General Function      | Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image, Password Protection, Watermark                 |
| General               |                                                                                                     |
| Operating Conditions  | -10°C to 45°C ( 14°F to 113 °F ), humidity 95% or less (non-condensing)                             |
| Power Supply          | DC 5V/2A□Type-C)                                                                                    |

|                                      |                                                |  |
|--------------------------------------|------------------------------------------------|--|
| Power Consumption                    | Max. 8W                                        |  |
| Product Dimensions                   | 115.5 × 116 × 160 mm (4.55 × 4.57 × 6.30 inch) |  |
| Packaging Dimensions                 | 116 × 116 × 164 mm (4.57 × 4.57 × 6.46 inch)   |  |
| Weight (With Package)                | 487 g (17.18 oz)                               |  |
| Net Weight                           | 255 g (8.99 oz)                                |  |
| In the box                           |                                                |  |
| In the box                           | - H6 Camera                                    |  |
|                                      | - Base                                         |  |
|                                      | - Power Cable                                  |  |
|                                      | - Power Adapter                                |  |
|                                      | - Drill Template                               |  |
|                                      | - Screw Kit                                    |  |
|                                      | - Quick Start Guide                            |  |
|                                      | - Regulatory Information                       |  |
| Certifications                       |                                                |  |
| CE / UKCA / UL / WEEE / RoHS / REACH |                                                |  |