

## IP Phone T790PN

### IP Phone T790PN

With Gigabit network ports,  
Support POE  
4 SIP account numbers  
2.4-inch color LCD screen;  
High-definition audio quality: HD handset, HD speaker phone  
1000 address book entries, 1200 call record entries



## Detailed

Model	<b>T790PN</b>
DC Power Input	5V/0.6A
Working Humidity	0~45°C
Working Temperature	10~95%
Headphone Jack	1 RJ9 connector
Generic	4 SIP Lines  HD Voice  PoE Enabled  2.4-inch color screen  Handset / Hands-free / Headset mode  Desktop Stand / Wall-mounted (need additional wall hanging parts)

	Optional External Power Supply	
Network	<p>Physical: 10/100 Mbps Ethernet, dual bridged port for PC bypass</p> <p>IP Mode: IPv4</p> <p>IP Configuration: Static IP / DHCP / PPPoE</p> <p>Network Access Control: 802.1x</p> <p>VPN: L2TP / OpenVPN</p> <p>VLAN</p> <p>LLDP</p> <p>QoS</p> <p>RTCP-XR (RFC3611), VQ-RTCPXR (RFC6035)</p>	
Deployment & Management	<p>Auto-Provisioning via FTP/TFTP/HTTP/HTTPS/DHCP OPT66/SIP PNP/TR-069</p> <p>Web Management Portal</p> <p>Web-based Packet Dump</p> <p>Configuration Export / Import</p> <p>Phonebook Import/Export</p> <p>Firmware Upgrade</p> <p>Syslog</p>	
Call Functions	<p>Call out / Answer / Reject</p> <p>Mute / Unmute (Microphone)</p> <p>Call Hold / Resume</p> <p>Call Waiting</p> <p>Intercom</p> <p>Caller ID Display</p> <p>Speed Dial</p> <p>Anonymous Call (Hide Caller ID)</p> <p>Call Forward (Always/Busy/No Answer)</p> <p>Call Transfer (Attended/Unattended)</p> <p>Call Parking/Pick-up (Depending on server)</p> <p>Redial</p> <p>Do-Not-Disturb</p> <p>Auto-Answering</p> <p>Voice Message (With server)</p> <p>3-way Conference</p> <p>Hot Line</p> <p>Hot desking</p>	
Protocols	<p>SIP2.0 over UDP/TCP/TLS</p> <p>RTP/RTCP/SRTP</p>	

STUN

DHCP

LLDP

PPPoE

802.1x

L2TP

OpenVPN

SNTP

FTP/TFTP

HTTP/HTTPS

TR-069

---

[Daytech.Az](http://Daytech.Az)