

IP Phone T840N

IP Phone T840N with gigabit ports

- Phone main screen: 4.3-inch IPS color LCD display
- information indicator: LED red light
- Phone keyboard
- 10 SIP line keys (with dual-color LED lights, programmable)
- 23 custom programmable keys
- 12 standard telephone number keys
- 6 function keys: headset, voice message, mute, Call forwarding, redialing, hands-free
- 5 navigation keys
- 2 volume up/down adjustment keys
- Color: business gray
- Installation method
- Desktop- Wall-mounted
- Desktop size: 187mm*183mm*162mm
- Phone power consumption: 2~3W
- PoE: IEEE 802.3af/IEEE 802.3at
- Working environment humidity: 10~95%
- Working temperature□10~50° C (+14~122° F)



Ətraflı

Model	T840N
Telephone functions	10 SIP lines, 32 SIP accounts Multi-language selection (Chinese/English/Turkish/Korean/Russian/Traditional Chinese/French/Italian/German/Thai/Hindi/Arabic / Vietnamese/Japanese/Spanish)

	<div>Programmable buttons</div> <div>Caller ID</div> <div>Handle/hands-free/headphone mode Call hold, mute, blind transfer, inquiry transfer</div> <div>Hotline, speed dial</div> <div>Do not disturb, call forwarding, call waiting</div> <div>Multicast, intercom, text message, keypad lock, emergency call</div> <div>Redial, callback, auto answer</div> <div>Five-party meeting</div> <div>Direct IP call</div> <div>10 types of built-in ringtones /upload custom ringtones</div> <div>Manually or automatically synchronize network time</div> <div>Dialing Rules</div> <div>Line sharing</div> <div>Screen saver, power saving mode</div> <div>Action URL & Action URI</div>	
Configuration and maintenance	<div>Web configuration</div> <div>Phone configuration</div> <div>Automatic deployment: Support FTP/TFTP/HTTP/HTTPS/SIP PnP/TR-069</div> <div>BIN/CFG configuration export/import</div> <div>Contact export/import</div> <div>CSTA remote control</div> <div>Network packet capture and diagnosis</div> <div>reset</div> <div>System firmware upgrade</div>	
IP PBX Features	<div>BLF</div> <div>voice message</div> <div>Anonymous call, anonymous call rejection</div> <div>Call park</div> <div>Call pickup</div> <div>Server-based recording function</div>	
Phone interface	<div>1 xRJ-9 (4P4C) handle interface</div> <div>1 x RJ-9 (4P4C) headset interface</div> <div>2 x RJ-45 10/100/1000M adaptive Ethernet port (Internet network port, PC network port)</div> <div>1 x USB 2.0 port</div>	

	DC power interface	
--	--------------------	--

Daytech.Az