DAYTECH.AZ

IP Phone V67

IP Phone V67

- 20 SIP Lines
- HD Voice
- Support HD Video call(720P/1080P)
- PoE Enabled
- 7-inch (1024×600) color touchscreen
- Handset / Hands-free / Headset mode
- Intelligent DSS Keys(Virtual buttons)
- Desktop stand / wall-mounted (need additional wall hanging parts)
- Optional External Power Supply



Ətraflı

Operation System

Android 9.0 OS with higher security and better compatibility

	Built-in Applications: Files, Calendar, Gallery, Browser, Email, Calculator, Notepad, Sound Recorder, Clock, Video, Music Support 3rd Party Applications	
Phone Features	Local Phonebook (2000 entries)	
	Remote Phonebook (XML/LDAP, 2000 entries)	
	Call logs (In/out/missed, 1000 entries)	
	Blocked List/Allowed List	
	Screen saver	

	Voice Message Waiting Indication (VMWI)	
	Programmable DSS/Soft keys	
	Network Time Synchronization	
	Built-in Bluetooth 5.0: Support Bluetooth headset/ Pairing mobile devices	
	Built-in Wi-Fi	
	2.4GHz, 802.11 b/g/n	
	5GHz, 802.11 a/n/ac	
	Miracast	
	Support Recording	
	Action URL / Active URI	
	uaCSTA	
	Audio/Video Recording	
	SIP Hotspot	
	Multicast	
	Action Plan	
	Group listening	
Call Features	Call out / Answer / Reject	
	Mute / Unmute (Microphone)	
	Call Hold / Resume	
	Call Waiting	
	Intercom	
	Caller ID Display	
	Speed Dial	
	Anonymous Call (Hide Caller ID)	
	Call Forwarding (Always/Busy/No Answer)	
	Call Transfer (Attended/Unattended)	
	Call Parking/Pick-up (Depending on the server)	
	Redial	
	Three-way video conferencing	
	Ten-way audio/video mixed conferencing(Up to 2 video call)	
	Do-Not-Disturb	
	Auto-Answering	
	Voice Message (With server)	
	Hot Line	
	Hotdesking	
	BLF	

Video	Video decoding: H.264
	Video call resolution: CIF/VGA/4CIF/720P/1080P
	Image format: JPEG/PNG/BMP
	Video format: MP4
	Bandwidth selection: 64kbps~4Mbps
	Frame rate selection: 5~30fps
	Video from a remote site can be displayed in full screen
	Internal HD camera: 5 Mega Pixel, 1080P @ 30fps; Mechanical shutter for privacy
	Field of view (FOV): 82°
	Video Preview
Audio	HD Voice Microphone/Speaker (Handset/Hands-free, 0 ~ 7KHz Frequency Response), HAC handset
	Wideband ADC/DAC 16KHz Sampling
	Narrowband Codec: G.711a/u, G.729AB, iLBC
	Wideband Codec: G.722, Opus
	Full-duplex Acoustic Echo Canceller (AEC)
	Voice Activity Detection (VAD) / Comfort Noise Generation (CNG) / Background Noise Estimation (BNE) / Noise Reduction (NR) /
	Automatic Gain Control (AGC)
	Packet Loss Concealment (PLC)
	Dynamic Adaptive Jitter Buffer
	DTMF: In-band, Out-of-Band (RFC2833/ SIP INFO)
Network	Physical: 10/100/1000 Mbps Ethernet, dual bridged port for PC bypass
	IP Mode: IPv4
	IP Configuration: Static / DHCP
	Network Access Control: 802.1x
	VPN: OpenVPN (Requires third-party app support)
	VLAN
	LLDP
	CDP
	QoS
Protocols	SIP2.0 over UDP/TCP/TLS
	RTP/RTCP/SRTP
	STUN

DHCP	
LLDP	
PPPoE	
802.1x	
OpenVPN (Requires third-party app support)	

Daytech.Az