

## Interactive Monitor DCP- 8698CM

Monitor 98 inch Intelligent Interactive Flat Panel. Support 10-point touch under PC and Android; support touch operation picture zoom in, zoom out, rotate, etc.; Support sleep timing, shutdown memory function, support remote control shortcut keys; Support screen recording function, electronic whiteboard, handwritten annotation function, to meet the various application requirements of training and teaching; Support timing function, with a timer gadget, can control the time at any time.

Size	98"
------	-----



## Detailed

Model	DCP-8698CM
Display Screen Size	16:9
Display Screen Type	LED LCD Display
Screen Display Size	2160.5 x 1217.3mm
Physical Resolution	3840* 2160
Display Color	16.7 Million (8 bit)
Refresh Rate	60HZ
Brightness	350cd/ m2
Contrast	1200:1
Viewing Angle	178°
Display Screen Protection	4mm fully tempered high explosion-proof - anti-glare glass
Backlight Lifespan	50000 hours

Touch Embedding Method	Built-in all-in-one, non-external design	
Touch Sensing Technology	Infrared induction recognition touch technology (20 points)	
Writing Method	Fingers, styluses or other opaque objects	
Positioning Accuracy	More than 90% of the touch area is $\pm 1\text{mm}$	
Communication Interface	Full Speed USB	
Touch Resolution	32767* 32767	
Numbers of Touches	Unlimited Times in Theory	
Computer Response	System Automatic Recognition; $\leq 15\text{ms}$	
Device Driver	Drive-free	
Touch Function	Support 20-point computer touch operation Support image zoom in, zoom out, rotate	
Speaker Specifications	10W / $8\Omega \times 2$ Speakers	
Interface	RJ45: 1 Group	HDMI in: 3 Groups
	AV in: 1 Group	AV out: 1 Group
	TOUCH PORT: 2 Groups	SPDIF out: 1 Group
	RS232 Port: 1 Group	USB 2.0: 2 Groups, USB 3.0: 3 Groups
	Type-C: 1 Group	
Built-in Camera & Array Microphone Parameters	4K 12 million HD pixels	Echo Cancellation
	8 Array Microphones	10m ultra long distance pickup effect
	Compatible with Android and Windows systems	AI Processing Chip
Housing & Appearance	Aluminum frame corner block design, front buttons, front ports, front speakers	
Device Dimension	2220.04*1326.29*96.55mm	
Package Size	2360*308*1430mm	
Net Weight	93KG	
Gross Weight	115KG	
Max. Power Consumption	$\leq 516\text{W}$	
Standby Power	$\leq 0.5\text{W}$	
Installation Method	With Wall Mounting Bracket	
Environment Parameters	Workplace	Indoor
	Working Temperature	0°C- 40°C

	Working Humidity	10% - 80% non-condensing
	Storage Temperature	-10°C- 60°C
	Storage Humidity	10% - 80% non-condensing

---

[Daytech.Az](http://Daytech.Az)