

IPC-HF81200EP

- 12-megapixel IP video camera designed for installation in internal security systems
- Pixels:4000 x 3000; 3D
- Video compression:H. 264 / MJPEG; BLC / HLC / DWDR

Növ	IP
Megapixel	12 MP



Ətraflı

Model	IPC-HF81200EP
Camera	
The matrix	1/1. 7 "12 MP CMOS
Effective pixels	4000 x 3000
Scanning system	Progressive
Electronic shutter speed	Auto / Manual, 1 / 3 ~ 1 / 10000 s
Mines. lighting	Color: 0.01 Lux / F1. 2, B / W: 0.001 Lux / F1. 2
Signal-To-Noise Ratio	More than 50dB
Video output	1 channel BNC (1.0 Vp-p, 75Ω)
Camera Features	

Max. IR distance		No
Day / Night		Auto (ICR) / Color / B / W
Background light compensation		BLC / HLC / DWDR
White Balance		Auto / Manual
Gain control		Auto / Manual
Noise reduction		3D
Privacy Mask		Up to 4 zones
EIS		Supports
Ultra Defog		Supports
Smart Focus		ABF
Lens		
Mounting type		C / CS
Video		
Compression		H.264 / MJPEG
Permission		12M (4000 × 3000) / 8M (3840 × 2160) / 1080P (1920 × 1080) / 720P (1280 × 720) / D1 (704 × 576) / CIF (352 × 288)
Frame Rate	Main stream:	12M (1 ~ 15fps) / 8M / 1080P (1 ~ 25 / 30fps)
	Additional stream:	D1 / CIF (1 ~ 25 / 30fps)
	Third stream:	1080P / 720P / D1 (1 ~ 25 / 30fps)
Bit rate		H.264: 32Kbps~ 16Mbps
ROI		Up to 4 zones
Audio		
Compression		G.711a / G.711u / AAC
Interface		1 Vx. / 1 Output. (Built-in microphone)

Network	
Ethernet	RJ-45 (10 / 100 / 1000Base-T)
Wi-Fi	No
Protocol	IPv4 / IPv6, HTTP, HTTPS, SSL, TCP / IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Фильтр, QoS, Bonjour
Compatibility	ONVIF, PSIA, CGI
Max. user access	20 users
Smartphones	iPhone, iPad, Android, Windows Phone
Auxiliary interface	
Memory Slot	Micro SD card, max. 128 GB capacity
RS485	1 port
Anxiety	2 Vx. / 1 Output.
Protection	
Degree of protection	No
Environment	
Operating temperature	-30°C ~ +60°C, Less than 95 % RH
Electrical properties	
Power supply	DC12V / AC24V, PoE (802.3af)
Power consumption	Max. 12 W (ABF and ICR on)
General information	
Mounting type	C / CS
Colour	White
Sizes	74.1 mm × 65.5 mm × 135.4 mm
Weight	0.3 kg

